

CIMGUARD R562

Rust Inhibitor



CIMGUARD R562 is a general purpose water-based rust inhibitor. This product is used for the prevention of rust on cast iron and steel during storage and shipment.

FEATURES AND BENEFITS

- Synthetic product containing a blend of organic and inorganic rust inhibitors. It contains no nitrites or petroleum products
- Will not leave an oily or tacky film on treated surfaces. The thin film left on treated parts is generally not visible to the eye.
- Can be applied in spray, dip operations, and can be used in the final rinse stage of multi-stage parts washers.
- This product is designed to be diluted with water
- For use in washer rinse stages, concentrations of 2-5% are generally recommended.
- Concentrations of 10-20% are used in dip tank application where parts are being prepared for long-term storage or shipment.

TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid
Odor:	Mild
Specific Gravity:	1.1
Density:	9.2 Pounds per gallon
pH, undiluted:	10.9
pH, 2.0% Solution:	9.5
Use Dilution:	2-20%

PACKAGING: 20 litre pails, 200 litre drums, and bulk containers

Contact Details:

For additional information on **CIMGUARD R562** refer to its MSDS or contact CIMCOOL Technical Services e-mail: info@cimcoolapac.com · Reprints/updates: www.cimcoolapac.com

This product is sold by CIMCOOL Fluid Technology, a division of Milacron LLC. Minor formulation changes or normal variations in the manufacture of this product may cause slight variances in the data presented on this sheet.

Product Application Guide